


PRODUCT NAME

PRODUCT CODE

1EB07



PRODUCT NAME

PRODUCT CODE

1EB07

## Basic information

|                     |                          |               |                                    |
|---------------------|--------------------------|---------------|------------------------------------|
| <b>Product type</b> | Outdoor parkour park     | <b>Usage</b>  | strengthening, stretching, fitness |
| <b>Brand</b>        | REVOLUTION13 / RVL13.COM | <b>Series</b> | ERIDU                              |
| <b>Name</b>         |                          | <b>Code</b>   | 1EB07                              |

## Technical Specification

|                    |                      |                                   |      |
|--------------------|----------------------|-----------------------------------|------|
| <b>Dimensions</b>  | 1900x1100x1100       | <b>Maximum height</b>             | 1900 |
| <b>Color scale</b> | Complete palette RAL | <b>Target group</b>               | 15+  |
| <b>Stand count</b> |                      | <b>Critical fall height (HIC)</b> |      |

### Surface

Komaxit 90 with a zinc layer for extreme conditions

## Materials

|                             | Diameter | Width       |
|-----------------------------|----------|-------------|
| <b>Dips</b>                 | 51mm     | 4,5mm       |
| <b>Bars</b>                 | 33,7mm   | 3,5 - 4,5mm |
| <b>Pillar (square plan)</b> | 100mm    | 4,0mm       |

## Delivery and installation

|                  |                 |                     |  |
|------------------|-----------------|---------------------|--|
| <b>Lead time</b> | 5/6 weeks       | <b>Installation</b> |  |
| <b>Standards</b> | EN 16:630 (TUV) |                     |  |

## Recommended flooring

|                           |                     |
|---------------------------|---------------------|
| <b>Optimal dimensions</b> | Not Sold Separately |
| <b>Floor surface</b>      | Concrete base       |

Company Enuma Elis s.r.o. always recommends installation in accord with the safety norm 16:630

PRODUCT NAME

PRODUCT CODE

**1EB07**

ISO views

Safe zone

Installation types